ELSEVIER

Lithos 48 (1999) 337

LITHOS

Author index to volume 48

Bostock, M.G. , Seismic imaging of lithospheric discontinuities and continental evolution 1
de Smet, J.H., A.P. van den Berg and N.J. Vlaar , The evolution of continental roots in numerical thermo-chemical mantle convection models including differentiation by partial melting 153
Foley, S.F., see Glaser, S.M. 263
Foley, S.F., see Jacob, D.E. 317
Francis, D., see Schmidberger, S.S. 195
Furman, T. and D. Graham , Erosion of lithospheric mantle beneath the East African Rift system: geochemical evidence from the Kivu volcanic province 237
Glaser, S.M., S.F. Foley and D. Günther , Trace element compositions of minerals in garnet and spinel peridotite xenoliths from the Vitim volcanic field, Transbaikalia, eastern Siberia 263
Graham, D., see Furman, T. 237
Günther, D., see Glaser, S.M. 263
Hager, B.H., see Shapiro, S.S. 115
Hager, B.H., see Shapiro, S.S. 135
Hauri, E.H., see Stern, C.R. 217
Jacob, D.E. and S.F. Foley , Evidence for Archean ocean crust with low high field strength element signature from diamondiferous eclogite xenoliths 317
Jaupart, C. and J.C. Mareschal , The thermal structure and thickness of continental roots 93
Jones, A.G. , Imaging the continental upper mantle using electromagnetic methods 57
Jordan, T.H., see Shapiro, S.S. 115
Jordan, T.H., see Shapiro, S.S. 135
Kilian, R., see Stern, C.R. 217
Kyser, T.K., see Stern, C.R. 217
Mareschal, J.C., see Jaupart, C. 93
Mukasa, S.B. and J.W. Shervais , Growth of subcontinental lithosphere: evidence from repeated dike injections in the Balmuccia lherzolite massif, Italian Alps 287
Nyblade, A.A. , Heat flow and the structure of Precambrian lithosphere 81
Olker, B., see Stern, C.R. 217
Pearson, D.G. , The age of continental roots 171
Priestley, K. , Velocity structure of the continental upper mantle: evidence from southern Africa 45
Schmidberger, S.S. and D. Francis , Nature of the mantle roots beneath the North American craton: mantle xenolith evidence from Somerset Island kimberlites 195
Shapiro, S.S., B.H. Hager and T.H. Jordan , Stability and dynamics of the continental tectosphere 115
Shapiro, S.S., B.H. Hager and T.H. Jordan , The continental tectosphere and Earth's long-wavelength gravity field 135
Shervais, J.W., see Mukasa, S.B. 287
Simons, F.J., A. Zielhuis and R.D. van der Hilst , The deep structure of the Australian continent from surface wave tomography . . . 17
Stern, C.R., R. Kilian, B. Olker, E.H. Hauri and T.K. Kyser , Evidence from mantle xenoliths for relatively thin (< 100 km) continental lithosphere below the Phanerozoic crust of southernmost South America 217
van den Berg, A.P., see de Smet, J.H. 153
van der Hilst, R.D., see Simons, F.J. 17
Vlaar, N.J., see de Smet, J.H. 153
Zielhuis, A., see Simons, F.J. 17

0024-4937/99/$ - see front matter © 1999 Elsevier Science B.V. All rights reserved.
PII: S0024-4937(99)00050-X

ELSEVIER

Lithos 48 (1999) 339–342

LITHOS

Subject Index

Abitibi belt (Canada)
heat flow 9, 95, 101–102, 107–108
Appalachians (North America)
heat flow 95, 97–98, 101–102, 107
Archean Passim.
Archean cratons
composition 195, 214–215
heat source 112, 155
heat flow 81–90, 93–111
Archean ocean crust 317–318, 324–325, 331
Archie's Law (conductivity) 60
Asia
seismic structure 6
Australian continent
age 187
electrical conductivity 37, 67
heat flow 37, 93, 103
seismic structure 4, 5, 7, 17, 29–33, 37–39, 54

Baikal rift 264, 282
Balmuccia Massif 287–290
Baltic shield
electrical conductivity 67, 73–76
heat flow 82, 87
seismic structure 5, 38, 73–76, 87
Bastar craton (India) 103
batch melting (effect on isotope composition) 174
blocking/closing temperature (of isotope systems) 173, 180
boundary layer
conductive ~ 83, 105–106, 115–116, 120, 162
mechanical ~ (MBL) 155, 157, 161, 237, 191
thermal ~ (TBL) 4, 18, 83, 105–106, 115–116, 118, 120–122, 126–129, 135–136, 167–168, 217–218, 232, 237
chemical/compositional ~ (CBL) 89, 115–116, 120, 122, 126–131, 153–154, 196, 237
broad-band seismology 9–10, 17–23, 45, 47–52
Bushveld complex 186–187, 191

Canadian shield
composition 195, 203–205, 212–215
heat flow 93, 94–98, 101–104, 195, 212
seismic structure 5, 6, 8–9, 12, 51
Central shield (Australia) 19, 37–38, 103–104
chemical/compositional boundary layer (CBL, *see* boundary layer)
compositional buoyancy 18, 36–37, 86, 115–116, 120, 122, 126–131, 135–136, 158
conductivity (*see* electrical conductivity *and* resistivity)
continental
crust 10–11, 45, 54
evolution 1, 10–13, 153, 154, 160–165, 168
heat flow 81–90, 93–111, 167
lithospheric mantle (CLM) 1, 3–5, 9–13, 18, 36–39, 45, 47–49, 53–55, 57–58, 62, 70–71, 76, 81, 83, 85–87, 89–90, 93, 115–116, 128–131, 153–154, 160–165, 168, 171–175, 181, 191, 195, 214–215, 217–218, 238–239, 257–258, 287–288, 310
convection 116–118, 131, 151, 153–155, 333
convective instabilities 18, 38–39, 88–89, 115–116, 126, 129, 130, 164–165
cooling (conductive) 18, 81, 83, 115–116, 126, 130–131, 135–136, 153–154, 158, 167, 217, 230–232
craton Passim.
crust
continental ~ 10–11, 45, 54
oceanic ~ 10–11, 317–318, 324–325, 331
crustal
heat production 85, 90, 93, 98–102, 104–105, 107, 109, 155, 212
resistivity 62–63, 71–73
structure (seismic) 10–11, 45, 46, 53, 54
thickness (*see also* Moho) 1, 2, 7, 9, 25, 46, 154

Dharwa craton (India) 103
decompression melting 54, 153–154, 158
delamination/destruction of lithosphere (*see also* convective instabilities) 12, 12, 88–89, 126, 129, 165, 237–238, 257–258, 263
density vs. seismic wavespeed (dln ρ/dlnV_S) 135, 139, 147, 150–151
depletion (melt ~) 18, 38, 86, 109, 115–116, 120, 136, 153–155, 158, 160–163, 167, 174, 203, 214–215, 282, 291, 317, 328–329, 333
diamond inclusions 171, 180–182
diamond stability field 195, 211–212, 330
diapiric upwellings 158
dike/dike emplacement 287–291, 312–313
dynamic topography 120, 122, 126

East African rift
composition 243–245, 246–251, 254–257, 258
CLM thickness 257–258
crustal thickness 257–258
geodynamic setting 239–242
Eclogite 11, 13, 177–178, 190, 201, 317–318, 322, 324, 325, 328–329, 333–334
electromagnetic methods (EM) 57–62
electrical
asthenosphere 63–68, 76
anisotropy 58, 70–71, 76
conductivity 57, 59, 66, 68–72, 264
resistivity 57, 59, 67, 72–74

Fennoscandia shield
heat flow 107
seismic structure 7–8, 38
fractional melting 203, 212–213
Fresnel zone 2–3

garnet peridotites 201, 209, 219–221, 231–232, 263, 264, 266
garnet stability field 264
geobarometry 210–211, 218–219, 230–232, 275
geochronology
isochron method 173, 176–179, 319–320
model age method 180–182
K–Ar 82
Ar–Ar 82
Pb–Pb 318–321
Rb–Sr 82, 181
Re–Os 173–174, 177–178, 182–190, 226, 234, 318, 321, 334
Sm–Nd 82, 177–182
U–Pb 82, 173, 178–180, 199
U–Th–Pb 180
geoid (hydrostatic ~) 135–137, 141–143, 150–151
geoid height anomalies 115–116, 120, 122, 126–128, 131, 147
geothermal gradient 18, 37, 67–68, 76, 90, 106–109, 154–157, 195, 210–212, 217–219, 230–231
geothermometry 210–211, 218–219, 230–231, 263, 275
gravity field / anomalies 115–116, 131, 135–137, 141–143, 150–151, 239
Grenville Province (North America)
heat flow 88–89, 93, 95, 101–102
seismic structure 38, 88–89

harzburgite / harzburgitic 155, 195, 209, 211, 213, 219, 233
heat flow 93–111, 125–126, 131, 167, 195, 212
continental ~ 81–90, 93, 100–104
corrections 100, 107, 110–111
determination of ~ 110–111
mantle ~ 93, 100, 104–105
reduced ~ 100, 182
vs. lithospheric age 83–90, 100, 125–126, 167
vs. heat production 102–103
vs. CLM stabilization 82, 85–86, 89–90
heat production
crustal ~ 81, 85, 90, 93, 98, 101–102, 105, 108–111, 155, 212
mantle ~ 154–155

Indian shield
heat flow 82, 93, 103
isopycnic hypothesis 18, 120, 126, 128, 135–136, 150
isotope systems
Hf–Os 174
Nd–Sr 174, 175, 225–227, 237, 244–245, 251, 306
Nd 173, 175, 180–181, 237, 242–244, 251, 253
O 217, 229, 317, 324–327
Os 174, 176–177, 182–183, 188–190, 226–228
Pb 173, 174, 226, 228, 237, 253, 309–310, 322
Sr 173, 175, 182, 237, 242–245, 251–253, 306–307
Italian Alps 287–290
Ivrea Verbano Zone 288–290

Kaapvaal craton (Southern Africa)
age 46, 171, 185–188, 191
composition 195, 204, 209, 213–215
heat flow 94, 99, 107–108
seismic structure 39, 46–47, 51, 54, 213
kimberlites 1, 4, 47, 171, 174, 176, 179, 184, 195, 198, 201, 263–264, 317–318
Kola deep borehole 102
KTB deep borehole (Germany) 102

Laramide orogeny 12
lherzolite / lherzolitic 4, 155, 176–177, 195, 209, 211, 213, 219, 233, 265–268, 288, 291
garnet ~ 265
garnet–spinel ~ 265–268
spinel ~ 265–268, 291
Limpopo belt (Southern Africa)
age 187
heat flow 98
seismic structure 46, 54
lithoprobe 7, 94
lithospheric mantle
age of ~ 171, 190–191, 317–319, 325, 333
base of ~ 1, 4, 9, 11–13, 47–54, 57, 67, 73–76, 105–106, 122, 219, 221, 230
continental ~ (CLM) 1, 3–5, 9–13, 18, 36–39, 45, 47–49, 53–55, 57–58, 62, 70–71, 76, 81, 83, 85–87, 89–90, 93, 115–116, 128–131, 153–154, 160–165, 168, 171–172, 191, 195, 217–218, 238–239, 257–258, 287–288, 310
composition 195, 196, 209–214, 221–229, 233, 333–334
erosion / delamination / destruction of ~ 12–13, 38–39, 88–89, 126, 129, 165, 217, 230–234, 237–238, 257–258, 263
evolution 37–39, 57, 76–77, 88–89, 116, 119, 128–131, 153–155, 160–165, 168, 171–173, 184, 191, 230–234, 258–259, 280, 282, 288, 310, 313, 333
formation 10–13, 18, 37, 57–58, 76–77, 154–156, 160–163, 171–172, 191, 288, 325, 333
growth / thickening 171–172, 232, 234, 287, 333
oceanic ~ 10–13, 93, 106, 115–116, 118, 153, 232–234, 239
resistivity 57–60, 62–63, 73–77
thermal structure of ~ 90, 105–110, 119–125
thickness 1, 4, 9, 17–18, 30–31, 36–39, 49, 51–52, 54–55, 62, 67, 73–76, 81, 83–87, 89–90, 93, 94, 105–110, 120, 122, 126–127, 130, 136, 153, 160–163, 168, 172, 212, 217, 219, 221, 230, 232–234, 257–259
thinning 230–234, 237–239, 257–259, 287
long period seismology 3–5, 51
Love waves (seismic surface waves) 47–49, 51–54
low velocity zone (seismic) 6–7, 30, 37, 39, 47–48, 51–55
Lynn Lake belt 95

Magnesium number–(Mg#) 195, 203–205, 209–214, 224–225, 268, 275, 281–282, 321, 327, 329
magnetotelluric imaging 57, 60–62
mantle
convection (*see* convection)
depletion 18, 109, 155, 158, 165–168, 333
differentiation 153–155, 157–158, 165–166
heat flow 93, 100, 104–105
stratification 1, 4, 5–7, 9–13
massif peridotites 109, 171–173, 176, 188, 287–290
mechanical boundary layer (MBL, *see* boundary layer)
melt depletion / extraction 86, 109, 115–116, 120, 136, 153–155, 158, 160–163, 167, 174, 282, 291, 317, 328–329, 333
Mohorovicic discontinuity (Moho, M) 1, 2, 7, 9, 25, 46, 54, 154

Namaqua Natal belt 46, 93, 99
Nikos kimberlite (*see* Somerset Island kimberlite)
North American craton
composition 195, 203–205, 209–214
heat flow 82, 87, 93, 95, 102, 195, 212
resistivity 69
seismic structure 5–8, 87–88

ophiolites 325
ortho-pyroxene enrichment 195, 205, 213–215

paleogeotherm 195, 211–212, 214
partial melt(ing) 37, 57, 66–67, 72–73, 86, 153–155, 203, 212, 214–215, 237–238, 310, 317, 328–329, 333
effects on conductivity 66, 72
Partitioned Waveform Inversion 22–26
peridotite
high temperature 173, 217, 221, 232–234
low temperature 173, 217, 221, 232–234
massif ~ 109, 171–173, 176, 188
xenolith ~ 171–174, 198, 264, 317–319
phase changes (mineralogical) 2
(*see also* seismic discontinuities)
Pilbara (Australia) 19–20
heat flow 82, 93, 103
seismic structure 32, 36, 38
Premier mine (South Africa) 171, 177, 181, 184, 187
primitive mantle composition 203, 214
Proterozoic Passim.
Proterozoic shields
composition 195
heat flow 81–90, 93

radioactive
decay 155
heat production 155
heat sources 155
Rayleigh waves (seismic surface waves) 17, 22, 26, 45–55, 87
reduced heat flow 100–102
reflection seismology 7–9
refraction seismology 5–7
resistivity 58–60, 62–63, 73–77
rheology 115–118, 123, 126, 128–131, 153–157
activation energy 115–117, 126, 128, 130, 131, 156
activation volume 156, 157
effects of volatiles 38, 86, 131, 157
Roots (*see also* continental lithospheric mantle) 55, 57–58, 69, 128, 153, 165, 171, 191, 195, 217–218
Russian platform 6–7, 9

secular (conductive) cooling 81, 83, 115–116, 126, 130–131, 135–136, 153–154, 158, 167, 217, 230–234, 263
seismic
anisotropy 1, 4, 7, 9, 12, 49, 51
reflection 7–9
refraction 5–7
tomography 2, 47, 52, 54, 136, 147, 195
seismic discontinuity
lithospheric ~ 1
Hales (H) ~ 3–6, 9, 11–12
Lehman (L) ~ 1, 3–7, 9, 12
Mohorovicic (Moho, M) ~ 1, 2, 7, 9, 46, 54
410-km ~ 2, 6, 39, 68, 70, 128
520-km ~ 2
660-km ~ 2
seismological imaging
long-period 3–5, 51
broad-band 9–10, 17–23, 45, 47–52
tomography 2, 17, 17–26, 39, 47, 52, 54, 136, 147, 195
Siberian craton
age 171, 176–179, 186–187, 190–191, 317–319, 334
composition 195, 204, 213–214, 263, 282–283, 317, 324, 327, 329
conductivity 67, 73–74
heat flow 82
seismic structure 6–7
Sino–Korea craton
heat flow 104
seismic structure 38
Skippy project 17, 19, 26
Slave Province (Canada)
electrical conductivity 61, 64, 72
heat flow 64, 95, 212
seismic structure 8, 11, 212–214
thermal structure 195, 210–212
Somerset Island kimberlite (Canada) 195–215
South(ern) African cratons
age 171, 186–188
composition 195, 325
heat flow 82, 93–94, 98–100, 104, 110
seismic structure 45–55
South American lithosphere (Phanerozoic)
composition 217, 219, 221–231, 233, 324–325
evolution 230–234
thickness 217–219, 230, 232–234
stability / stabilization (of continental lithospheric mantle) 1, 10–13, 18, 37–38, 81, 85–86, 115–116, 122, 126–131, 135, 151, 153–155, 179, 184, 186, 191, 288
subduction 1, 8–13, 130, 136, 317–318, 326–329, 331, 334
Superior Province (Canada)
electrical conductivity 69–71
heat flow 82, 94–99, 101–102
seismic structure 8–9, 69–71
surface waves
dispersion 2, 17–18, 22–23, 31, 45, 47–52
fundamental modes 17–18, 22–23, 26–27, 39, 45, 47–52
higher modes 17–18, 22–23, 26–27, 39, 45, 47–52

Tanzania craton 239
age 171, 178, 191
heat flow 82
Tasman line (Australia) 19–20
tectonic regionalization 17, 19, 28–29, 34–36, 136–137, 139–140, 151
tectosphere (*see also* continental lithospheric mantle) 4, 17–18, 34, 36–39, 115–118, 122, 128–131, 135–136, 150–151, 154, 168
thermobarometry (*see* geobarometry, geothermometry)
thinning of continental lithosphere 230–234, 237–239, 257–259
Thompson belt (Canada) 95, 100, 102
trace element chemistry 226, 244, 245–251, 263, 276–281, 303–306, 317, 322–324, 327, 329
Trans-Hudson Province (Canada)
heat flow 95, 100–102
seismic structure 6
transmitted seismic waves 2–3

Udachnaya (*see* Siberian craton)
United States of America
heat flow 94
seismic structure 128

viscosity (*see also* rheology) 76, 116–118, 122–123, 126–131, 154–157
viscous heating 154
Vitim volcanic province 186–187, 263–264

volatiles
effects on electrical conductivity 37, 66–67, 72–73
effects on rheology 38, 86, 131, 157

Western shield (Australia) 37–38, 103
Witwatersrand basin (South Africa) 99, 104–105, 186–187
Wyoming craton (North America)
age 171, 186, 191

xenoliths 1, 4, 81, 171–174, 179–183, 190, 195–215, 217–218, 221–231, 238, 257, 263, 265–266, 288, 317–319, 325

Yilgarn (Australia) 19–20
heat flow 82, 103
seismic structure 31–33, 36, 38

Zimbabwe craton (Southern Africa)
age 186
seismic structure 46, 54